	Hits	Search Text	DBs
55	24	-	US-PGPUB; USPAT; FPRS;

	Hits	Search Text	DBs
56	1	resistivity or resistance or impedance) and ((monitor\$4 or determin\$4 or calculat\$4 or measur\$4) same (conductivit\$4 or	

	Hits	Search Text	DBs
57		<pre>impedance) and ((monitor\$4 or determin\$4 or calculat\$4 or measur\$4) same (conductivit\$4 or</pre>	US-PGPUB; USPAT; FPRS; EPO; JPO;

	Hits	Search Text	DBs
58	1	resistivity or resistance or impedance)) and ((monitor\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
59	1	resistivity or resistance or impedance)) and ((monitor\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
60	0	resistivity or resistance or impedance)) and ((monitor\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
61	0	resistivity or resistance or impedance)) and ((monitor\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
62	0	resistivity or resistance or impedance)) and ((monitor\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
63	0	resistivity or resistance or impedance)) and ((monitor\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB

Hi	its	Search Text	DBs
64 0		resistivity or resistance or impedance)) and ((monitor\$4 or determin\$4 or calculat\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_IDB

	Hits	Search Text	DBs
65	0	impedance)) and ((monitor\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_IDB

	Hits	Search Text	DBs
66	1	resistivity or resistance or impedance) and ((monitor\$4 or determin\$4 or calculat\$4 or measur\$4) same (conductivit\$4 or	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
67	1	<pre>impedance) and ((monitor\$4 or determin\$4 or calculat\$4 or measur\$4) same (conductivit\$4 or</pre>	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB